



Pharmaceuticals Limited

04<sup>th</sup> July, 2023.

To,

The Environmental Engineer,

Regional Office-APPCB,

Vizianagaram.

Respected Sir/Madam,

SUB: - Submission of Marine EC first half yearly (January'2023 to June'2023) compliance report Order No:MoEF videF.No. 11-45/2007-IA-III dated 08.10.2007.-Reg.

We M/S SMS Pharmaceuticals Ltd, Unit-VII Situated at Sy.No-161,163 to 168 Kandivalasa Village,Pusapatirega-Mandal,Vizianagaram- Dist. Involved in Manufacturing API'S(Bulk Manufacturing Drugs).

We are herewith submitting first half yearly Marine EC compliance report. for the period of January'2023 to June'2023.

We request you to kindly acknowledge the receipt of the same.

Thanking you sir,

Yours faithfully,

SMS Pharmaceuticals Ltd.

Authorized Signatory

CC: -I.APPCB, H.O, Vijayawada.



Regd. & Corporate Office SMS Pharmaceuticals Ltd., Plot No.72, H.No:8-2-334/3&4, Road No.5, Opp.SBI Executive Enclave, Banjara Hills, Hyderabad-500 034, Telangana, INDIA. Tele: +91-40-2525 9999, Fax: +91-40-2525 9889, Email: info@smspharma.com, www.smspharma.com, CIN: L24239TG1987PLC008066.  
Factory SMS Pharmaceuticals Ltd., Unit-VII, Kandivalasa Village, Poosapatirega Mandal, PIN-535 204, Vizianagaram District, Andhra Pradesh, INDIA. Tele +91-8922-258051 +91-8374532104. +91-8374532106. +91-7680924444 & +91-7680932222.



Pharmaceuticals Limited

04<sup>th</sup> July, 2023.

To,

The Environmental Engineer,

Regional Office-APPCB,

Vizianagaram.

Respected Sir/Madam,

SUB: - Submission of Marine EC first half yearly (January'2023 to June'2023) compliance report Order No:MoEF videF.No. 11-45/2007-IA-III dated 08.10.2007.–Reg.

We M/S SMS Pharmaceuticals Ltd, Unit-VII Situated at Sy.No-161,163 to 168 Kandivalasa Village,Pusapatirega-Mandal,Vizianagaram- Dist. Involved in Manufacturing API'S(Bulk Manufacturing Drugs).

We are herewith submitting first half yearly Marine EC compliance report. for the period of January'2023 to June'2023.

We request you to kindly acknowledge the receipt of the same.

Thanking you sir,

Yours faithfully,



SMS Pharmaceuticals Ltd.

Authorized Signatory

CC: -1.APPCB, H.O, Vijayawada.

**Marine EC Compliance**  
**M/s. SMS PHARMACEUTICALS LIMITED (UNIT-VII),**  
**Kandivalasa Village, Pusapatirega Mandal,**  
**Vizianagaram District.**

**RED CATEGORY**  
**Condition Wise Compliance**

Condition wise compliance statement for the Marine Clearance obtained from  
MoEF vide **F.No. 11-45/2007-IA-III dated 08.10.2007.**

S.NO	CONDITIONS	COMPLIANCE
1	The project should be implemented in such a manner is on damage whatsoever to the mangroves/other sensitive coastal ecosystems. If any damage to mangroves is anticipate/envisaged as a result of project activities then the clearance now being accorded shall stand cancelled and the proponents may seek fresh approval from the Ministry.	There are no mangroves in the project area.
2	All issues raised in the Public Hearing conducted for the project on 4.9.2006 should be comprehensively addressed and report submitted periodically.	There were no issues raised in the public hearing other than a request for providing employment opportunity to the local villagers which has been completed in initial stages itself and when ever required we given employment to local villagers only.
3	All the conditions stipulated vide letter No.J-11011/361/2006-IA-II(I), dated 16.4.2007 should be strictly implemented.	Complied. All the conditions stipulated vide letter No.J-11011/361/2006-IA-II(I), dated 16.4.2007 are being implemented.
4	No Objection Certificate from the Andhra Pradesh State Pollution Control Board should be obtained before initiating the project.	The industry has obtained NOC/CFE from APPCB and also CFO from the Board for carrying out operations. Consent Order No. APPCB/VSP/VZM/147/CFO/HO/2010-dated 15-03-2010.validity up to 30 <sup>th</sup> October-2010. Present CFO No: APPCB/VSP/VZM/147/CTO/HO/2017-Dated 01/02/2023 valid up to 30 <sup>th</sup> September 2026.
5	A continuous and comprehensive post-project marine quality monitoring program should be taken up. This should include monitoring of water quality, sediment quality and biological characteristics covered in the EIA studies.	The industry has Continuous and comprehensive post-project marine quality monitoring program taken




6	It should be ensured that on activities are taken up in the forest till necessary forest clearance is obtained and furnished to this Ministry. Adequate measures for compensatory a forestation must be taken accordingly.	There are no forest areas in the project.
<b>S.NO</b>	<b>CONDITIONS</b>	<b>COMPLIANCE</b>
7	It should be ensured that there is no displacement of people, houses or fishing activity as a result of the project.	The industry pipe line has been laid along the road and there is no displacement of population.
8	The pipelines should not disturb the movement of fishing vessels or fishermen.	Complied. The industry pipeline has been laid as per the guidelines and there is no disturbance to the movement to fishing vessels or fishermen.
9	It should be ensured that due to the project, there is no adverse impact on the drainage of the area and recharge of groundwater. No groundwater should be tapped in the project area falling in Coastal Regulation Zone.	Complied. There is no adverse impact on the drainage of the area and recharge of groundwater.
10	The project proponent must ensure that the effluents /liquid waste discharged are as per the standards laid down by the Andhra Pradesh Pollution Control Board.	Complied. The effluents/liquid waste discharged as per the stipulated standards of APPCB.
11	The camps of labor shall be kept outside the Coastal Regulation Zone area. Proper arrangements for cooking fuel shall be made for the labor during construction phase so to ensure that mangroves are not cut/destroyed for this purpose.	There was no requirement of camps for the labor as they were sourced locally.
12	The entire stretch of the pipelines shall be buried underground except at the booster pumping station, which will be properly fenced and the station would be manned round the clock. The buried lines will be protected with anticorrosive coal tar based coating. The coating will be tested in accordance with prescribed standards.	The entire stretch of pipeline is buried under ground and the material of construction is HDPE and hence does not require tar coating. There is no booster pumping station the entire stretch.
13	Markers shall be installed at every 30 m to indicate the position of the line. Regular patrolling of the pipeline needs to be done. This will help in identifying any activity that have the potential to cause pipeline damage or to identify small leaks whose effects are too small to be detected by instrument.	The markings have been made and separate staff has been recruited from the local villages for daily monitoring of the pipeline to prevent damages.




14	There should be display boards at critical locations along the pipeline viz road/rail/river crossings giving emergency instructions as contact details of M/s SMS Pharmaceuticals Limited. This will ensure prompt information regarding location of accident during any emergency. Emergency information board should contain emergency instructions in addition to contact details.	There are no rail or river crossings in the pipeline path.
15	All issues raised in the Public Hearing conducted for the project on 16.2.2006 should be comprehensively addressed and report submitted periodically.	There were no issues raised by the public except for the request to provide employment for locals. This is normally preferred since the beginning.

### GENERAL CONDITIONS

S.NO	CONDITIONS	COMPLIANCE
1	Construction of the proposed structures should be undertaken meticulously confirming to the existing Central /Local rules and regulations. All the construction designs/drawings relating to the proposed construction activities must have approvals of the concerned State Government Department /Agencies.	The constructions are under taken as per the local regulations. All the construction designs/drawings relating to the proposed construction activities had approvals of the concerned State Government Department/Agencies.
2	The project authorities should take appropriate community development and welfare measures for the villagers in the vicinity of the project site, including drinking water facilities. A separate fund should be allocated for this purpose.	The industry has taken up community development works in the nearby villages based on their request. Drinking water facility RO plant Constructed at thammaiah palem village.
3	To meet any emergency situation, appropriate fire-fighting system should be installed. Appropriate arrangements for uninterrupted power supply to the environment protection equipment and continuous water supply for the fire fighting system should be made.	The industry has already installed fire hydrant system with adequate water storage facility. . Appropriate arrangements for uninterrupted power supply to the environment protection equipment are also provided.
4	A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a senior Executive who will report directly to the Chief Executive of the company.	The industry has a separate environment management cell.



5	The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A Year-wise expenditure on environment safeguards should be reported to the Ministry's Regional Office at Bangalore.	The industry has implemented all the protection measures proposed in EMP and also stipulated by MoEF. No funds were diverted.
<b>S.NO</b>	<b>CONDITIONS</b>	<b>COMPLIANCE</b>
6	Full support should be extended to the officers of this ministry's Regional Office at Bangalore and the officers of the Central and State Pollution Control Board by the project proponents during their inspection for monitoring purposes, by furnishing full details and action plans including the action taken reports in respect of mitigate measures and to other environmental protection activities.	The industry extended full cooperation during the visit to the undersigned.
7	In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions or impositions of new one for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.	There is no deviation or alteration in the project. And we have agreed to approach the Ministry in case of any deviation for approval.
8	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this ministry.	The industry has agreed to comply
9	This Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	The industry has agreed to comply
10	A copy of the clearance letter shall be marked to the concerned Panchayat/local NGO, if any, from whom any suggestion/representation has been received while processing the proposal.	Copy of the clearance letter marked to the concerned panchayat office at the beginning. They suggested examining the pipeline continuously. So already we arrange local people for examine the pipe line.



11	State Pollution Control Board /Committee should display a copy of the clearance letter at the District Industries Center and Collector's Office /Tehsildhar's Office for 30 days.	The industry has reportedly complied.
12	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Andhra Pradesh State Pollution Control Board and may also be seen at website of the Ministry of Environment & Forests at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a>	The industry has advertised in local newspapers.
13	The project proponents should inform Regional office Bangalore as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of work.	Complied.
14	The project proponent will obtain the Forest clearance for the land passing through the Reserved Forest area before commencement of the project activities in forest area.	There is no forest area in either the project site or the pipeline is passing thru one.
15	So as to maintain ecological features and avoid damage to the ecosystem, movement of vehicles in the Inter Tidal Zone shall be restricted to the minimum.	There is no vehicle movement in the inter Tidal Zone.
16	Budgetary break up for Environmental Management Plan for the project to be mentioned.	The industry has allocated 10% of the project cost for capital investment on environmental protection measures.

